

Author Index of Volume A 57

- | | | | |
|---------------------|----------------------|---------------------|--------------------------|
| Aharoni, H., 233 | Guo, Z., 41 | Li, X., 47 | Sarro, P.M., 223 |
| Ahn, K.-H., 183 | Gustafsson, S.E., 15 | Li, Y.X., 223 | Scheiter, T., 111 |
| Ando, Y., 83 | | Limouri, M., 167 | Sene, D.E., 145 |
| | Hachol, A., 29 | Lin, K.M., 35 | Shan, Q., 187 |
| Babnik, A., 203 | Han, S.W., 75 | Lu, M.S.-C., 103 | Shen, S., 47 |
| Bajsič, I., 203 | Hanaki, S., 65 | | Shimoyama, I., 117 |
| Bao, M., 47 | Hashimoto, S., 127 | Masuzawa, T., 159 | Shinohara, S., 127 |
| Benech, Ph., 173 | Hentschke, S., 1 | Mensching, B., 111 | Sohn, B.-K., 239 |
| Bhushan, B., 91 | Hierold, C., 111 | Messner, S., 153 | Steger, M., 111 |
| Bochenek, A., 29 | Hildebrandt, A., 111 | Michel, L., 167 | Stehr, M., 153 |
| Börjesson, L., 15 | Hosokawa, K., 117 | Miura, H., 117 | Stemme, E., 137 |
| Bright, V.M., 145 | Huang, R.S., 35 | Miyajima, H., 127 | Stemme, G., 137 |
| | Huang, Y.-C., 9 | Moriizumi, T., 65 | Suleiman, B.M., 15 |
| Carley, L.R., 103 | Hur, Y.-J., 239 | Možina, J., 203 | Sun, X.-Q., 159 |
| Chamberod, E., 173 | | Mulla, I.S., 217 | |
| Chao, S.-C., 9 | Ino, J., 83 | | Tielert, R., 111 |
| Churenkov, A.V., 21 | Ishikawa, K., 197 | Näher, U., 111 | Toda, K., 197 |
| Comtois, J.H., 145 | Ito, M., 127 | Nakamoto, T., 65 | |
| | | Ngalamou, L., 173 | Věříš, J., 179 |
| Dewhurst, R.J., 187 | Jeong, Y.-H., 183 | Noury, N., 173 | Vijayamohanan, K., 217 |
| Donlagić, D., 209 | | | |
| Duan, S., 41 | Kim, D.M., 183 | Olsson, A., 137 | Wang, P., 41 |
| Dziuban, J., 29 | Kobayashi, H., 53 | Ouakrim, N., 167 | Wolffenbuttel, R.F., 223 |
| | Kobe, A., 203 | | |
| Eagle, S.C., 103 | Koinkar, V.N., 91 | Park, L.-S., 239 | Yamamoto, E., 127 |
| Essaid, A., 167 | Komazaki, I., 127 | Perraud, E., 245 | Yanagisawa, K., 127 |
| Ettouhami, A., 167 | Kuhn, A., 187 | Plessis, M. du, 233 | Yang, E.H., 75 |
| | Kumperščak, V., 209 | Pradhan, S.D., 217 | Yang, H.-M., 9 |
| Fedder, G.K., 103 | Kuzman, D., 203 | | Yang, S.S., 75 |
| French, P.J., 223 | Kwok, C.Y., 35 | Reed, M.L., 103 | |
| Fujino, M., 159 | | | Završnik, M., 209 |
| | Lee, C.-L., 9 | Sandmaier, H., 153 | Zengerle, R., 153 |
| Grantham, J.W., 145 | Lee, J.-S., 183 | Sanemasa, I., 197 | Zhao, X., 41 |
| Guillou, D.F., 103 | Lei, T.-F., 9 | Santhanam, S., 103 | |

Subject Index of Volume A 57

- Accelerometers**
a pure CMOS surface-micromachined integrated accelerometer, 111
- Acoustic resonance**
low-frequency acoustic resonance level gauge, 209
- Actuators**
the VAMP — a new device for handling liquids or gases, 153
- Anisotropic etching**
maskless etching of three-dimensional silicon structures in KOH, 47
- Atomic force microscope**
friction and pull-off force on silicon surface modified by FIB, 83
- Atomic force microscopy**
microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91
- Automotive sensors**
four essential points in developing automotive sensors, 53
- Capacitive pressure sensors**
thermal buckling of silicon capacitive pressure sensor, 167
- Capacitive sensors**
a pure CMOS surface-micromachined integrated accelerometer, 111
- CMOS**
high-resolution MOS magnetic sensor with thin oxide in standard sub-micron CMOS process, 9
- CMOS-compatible sensors**
a pure CMOS surface-micromachined integrated accelerometer, 111
- CMOS process**
laminated high-aspect-ratio microstructures in a conventional CMOS process, 103
- Cryogenic**
a practical cryogenic resistive sensor for thermal conductivity measurements, 15
- Cyclic asperity**
friction and pull-off force on silicon surface modified by FIB, 83
- Design investigations**
diffuser-element design investigation for valve-less pumps, 137
- Diffuser elements**
diffuser-element design investigation for valve-less pumps, 137
- Double-layered membranes**
effect of membrane structure on the performance of field-effect transistor potassium-sensitive sensor, 239
- Dynamic testing**
research on the dynamic test method for force-balance accelerometers (FBAs) with electric stimulation Part 2. An improved test method for voltage-source type FBAs, 41
- Electro-discharge machining**
micro ultrasonic machining and its applications in MEMS, 159
- Errors analysis**
research on the dynamic test method for force-balance accelerometers (FBAs) with electric stimulation Part 2. An improved test method for voltage-source type FBAs, 41
- Etch-stop method**
fabrication and testing of a pair of passive bivalvular microvalves composed of p+ silicon diaphragms, 75
- Fibre-optic sensors**
silicon micromechanical optical waveguide for sensing and modulation, 21
- Field-effect transistor sensors**
effect of membrane structure on the performance of field-effect transistor potassium-sensitive sensor, 239
- Flow sensors**
a silicon thermocapacitive flow sensor with frequency modulated output, 35
- Fluid-level measurement**
low-frequency acoustic resonance level gauge, 209
- Fluorescence lifetime**
improved probe geometry for fluorescence-based fibre-optic temperature sensor, 203
- Focused ion beam**
friction and pull-off force on silicon surface modified by FIB, 83
- Force**
analysis of the sensitivity and the temperature influence of a static force sensor based on a PVDF resonator, 173
- Force-balance accelerometers**
research on the dynamic test method for force-balance accelerometers (FBAs) with electric stimulation Part 2. An improved test method for voltage-source type FBAs, 41
- Friction**
microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91
- Friction force**
friction and pull-off force on silicon surface modified by FIB, 83
- Friction force microscopy**
microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91
- Fuzzy theory**
artificial odor-recognition system using neural network for estimating sensory quantities of blended fragrance, 65
- Generalization capability**
artificial odor-recognition system using neural network for estimating sensory quantities of blended fragrance, 65
- Gratings**
polysilicon micromechanical gratings for optical modulation, 145
- High-aspect-ratio microstructures**
laminated high-aspect-ratio microstructures in a conventional CMOS process, 103
- Humidity sensors**
humidity-sensing behaviour of surface-modified zirconia, 217
- Indentation hardness**
microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91

Integrated sensors

a pure CMOS surface-micromachined integrated accelerometer, 111

Ion-sensitive field-effect transistors (ISFETs)

effect of membrane structure on the performance of field-effect transistor potassium-sensitive sensor, 239

Laser-ultrasound

characterization of polymer ultrasonic receivers by a photoacoustic method, 187

Light-emitting diodes

the spatial distribution of light from silicon LEDs, 233

Light patterns

the spatial distribution of light from silicon LEDs, 233

Low-pressure metal organic chemical vapour deposition (LP-MOCVD)

highly sensitive $\text{Al}_{0.25}\text{Ga}_{0.75}\text{As}/\text{In}_{0.25}\text{Ga}_{0.75}\text{As}/\text{GaAs}$ quantum-well Hall devices with Si-delta-doped GaAs layer grown by LP-MOCVD, 183

Magnetic-field detection

digital stochastic magnetic-field detection, 1

Magnetic sensors

high-resolution MOS magnetic sensor with thin oxide in standard sub-micron CMOS process, 9

Microelectromechanical systems (MEMS)

microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91

polysilicon micromechanical gratings for optical modulation, 145

the VAMP — a new device for handling liquids or gases, 153

micro ultrasonic machining and its applications in MEMS, 159

Micro encoders

optical micro encoder using a vertical-cavity surface-emitting laser, 127

Microfluidics

the VAMP — a new device for handling liquids or gases, 153

Micromachining

ophthalmic tonometer with silicon micromachined structure, 29

SIMPLE — A technique of silicon micromachining using plasma etching, 223

Micropumps

the VAMP — a new device for handling liquids or gases, 153

Microstructures

maskless etching of three-dimensional silicon structures in KOH, 47

two-dimensional micro-self-assembly using the surface tension of water, 117

Micro ultrasonic machining

micro ultrasonic machining and its applications in MEMS, 159

Microvalves

the VAMP — a new device for handling liquids or gases, 153

Modulators

silicon micromechanical optical waveguide for sensing and modulation, 21

MOS

high-resolution MOS magnetic sensor with thin oxide in standard sub-micron CMOS process, 9

Neural networks

artificial odor-recognition system using neural network for estimating sensory quantities of blended fragrance, 65

Ophthalmic tonometers

ophthalmic tonometer with silicon micromachined structure, 29

Optical fibres

improved probe geometry for fluorescence-based fibre-optic temperature sensor, 203

Passive bivalvular microvalves

fabrication and testing of a pair of passive bivalvular microvalves composed of p + silicon diaphragms, 75

Phase

analysis of the sensitivity and the temperature influence of a static force sensor based on a PVDF resonator, 173

Photoacoustics

characterization of polymer ultrasonic receivers by a photoacoustic method, 187

Photolithographic method

effect of membrane structure on the performance of field-effect transistor potassium-sensitive sensor, 239

Piezoresistive pressure sensors

theoretical model of performance of a silicon piezoresistive pressure sensor, 245

Plasma etching

SIMPLE — A technique of silicon micromachining using plasma etching, 223

Polysilicon

polysilicon micromechanical gratings for optical modulation, 145

Polysilicon films

microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91

Poly(vinylidene fluoride) (PVDF)

analysis of the sensitivity and the temperature influence of a static force sensor based on a PVDF resonator, 173

Potassium hydroxide

maskless etching of three-dimensional silicon structures in KOH, 47

Potassium ISFETs

effect of membrane structure on the performance of field-effect transistor potassium-sensitive sensor, 239

p + silicon film

fabrication and testing of a pair of passive bivalvular microvalves composed of p + silicon diaphragms, 75

Pull-off force

friction and pull-off force on silicon surface modified by FIB, 83

Pumps

the VAMP — a new device for handling liquids or gases, 153

PVDF transducers

characterization of polymer ultrasonic receivers by a photoacoustic method, 187

Quantum-well Hall devices

highly sensitive $\text{Al}_{0.25}\text{Ga}_{0.75}\text{As}/\text{In}_{0.25}\text{Ga}_{0.75}\text{As}/\text{GaAs}$ quantum-well Hall devices with Si-delta-doped GaAs layer grown by LP-MOCVD, 183

Quartz-resonator sensors

artificial odor-recognition system using neural network for estimating sensory quantities of blended fragrance, 65

Ray tracing

improved probe geometry for fluorescence-based fibre-optic temperature sensor, 203

Reflective sensors

improved probe geometry for fluorescence-based fibre-optic temperature sensor, 203

Resonance frequency

analysis of the sensitivity and the temperature influence of a static force sensor based on a PVDF resonator, 173

Resonant pressure sensors

temperature compensation of silicon resonant pressure sensor, 179

Self-assembly

two-dimensional micro-self-assembly using the surface tension of water, 117

Sensor design

four essential points in developing automotive sensors, 53

Sensors

- a practical cryogenic resistive sensor for thermal conductivity measurements, 15
- analysis of the sensitivity and the temperature influence of a static force sensor based on a PVDF resonator, 173

Sensory test

- artificial odor-recognition system using neural network for estimating sensory quantities of blended fragrance, 65

Si-delta-doping

- highly sensitive $\text{Al}_{0.25}\text{Ga}_{0.75}\text{As}/\text{In}_{0.25}\text{Ga}_{0.75}\text{As}/\text{GaAs}$ quantum-well Hall devices with Si-delta-doped GaAs layer grown by LP-MOCVD, 183

Signal conditioning

- a pure CMOS surface-micromachined integrated accelerometer, 111

Silicon

- ophthalmic tonometer with silicon micromachined structure, 29
- maskless etching of three-dimensional silicon structures in KOH, 47
- microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91
- thermal buckling of silicon capacitive pressure sensor, 167
- temperature compensation of silicon resonant pressure sensor, 179
- SIMPLE — A technique of silicon micromachining using plasma etching, 223
- the spatial distribution of light from silicon LEDs, 233
- theoretical model of performance of a silicon piezoresistive pressure sensor, 245

Silicon micromechanics

- silicon micromechanical optical waveguide for sensing and modulation, 21

Silicon waveguides

- silicon micromechanical optical waveguide for sensing and modulation, 21

Solid superacids

- humidity-sensing behaviour of surface-modified zirconia, 217

Static flow testing

- fabrication and testing of a pair of passive bivalvular microvalves composed of p+ silicon diaphragms, 75

Stochastic methods

- digital stochastic magnetic-field detection, 1

Strontium titanate

- a silicon thermocapacitive flow sensor with frequency modulated output, 35

Surface micromachining

- a pure CMOS surface-micromachined integrated accelerometer, 111
- polysilicon micromechanical gratings for optical modulation, 145

Surface-modified zirconia

- humidity-sensing behaviour of surface-modified zirconia, 217

Surface tension

- two-dimensional micro-self-assembly using the surface tension of water, 117

System identification

- characterization of polymer ultrasonic receivers by a photoacoustic method, 187

Temperature compensation

- temperature compensation of silicon resonant pressure sensor, 179
- simple temperature compensation of thermal air-flow sensor, 197

Temperature sensors

- improved probe geometry for fluorescence-based fibre-optic temperature sensor, 203

Temperature shift

- analysis of the sensitivity and the temperature influence of a static force sensor based on a PVDF resonator, 173

Thermal buckling

- thermal buckling of silicon capacitive pressure sensor, 167

Thermal conductivity

- a practical cryogenic resistive sensor for thermal conductivity measurements, 15

Thermal flow sensors

- simple temperature compensation of thermal air-flow sensor, 197

Thermocapacitive

- a silicon thermocapacitive flow sensor with frequency modulated output, 35

Transient methods

- a practical cryogenic resistive sensor for thermal conductivity measurements, 15

Tribology

- microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91

Valve-less pumps

- diffuser-element design investigation for valve-less pumps, 137

Vertical-cavity surface-emitting lasers

- optical micro encoder using a vertical-cavity surface-emitting laser, 127

Wear

- microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91

Wire electro-discharge grinding

- micro ultrasonic machining and its applications in MEMS, 159

Young's modulus of elasticity

- microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, 91



